

TYPE APPROVAL

Certificate No.: TA-DNV-CP-0082-10604-0 Issued: 2025-02-28

Valid until: 2030-02-28

Issued for:

Glass fibre rovings

with type designation(s)

E8DR-338 Series

As specified in Annex 1

Issued to:

Jushi Group Co., Ltd.

669 Wenhua Road (S.), Tongxiang Economic Development Zone, Zhejiang 314500, P.R. China

According to:

DNV-SE-0436:2022-09 Shop approval in renewable energy

and

DNV-CP-0082:2024-09 Type approval - Glass fibre rovings

Applying:

DNV-SE-0441:2021-10 Type and component certification of wind turbines

Based on the documents listed in Annex 1.

Any significant changes in the design and/or quality of the material will render this Type Approval invalid.

Hellerup, 2025-02-28

For DNV Renewables Certification

DAKKS

Deutsche
Akkreditierungsstelle
D-ZE-22290-01-00

Shanghai, 2025-02-28

For DNV Renewables Certification

Harrison, Christopher

Service Line Leader, Component Certification

By DAkkS according DIN EN IEC/ISO 17065 accredited Certification Body for products. The accreditation is valid for the fields of certification listed in the certificate.

Li, Yu Hua Project Manager



TYPE APPROVAL – ANNEX 1

Certificate No.:

TA-DNV-CP-0082-10604-0 Page 2 of 3

Product description and application

E8-338 direct roving with E8 glass formulation for weaving with silane-based sizing designed for polyurethane resin systems.

Approved variants

This Type Approval covers the direct roving E8-338 with silane-based sizing designed for polyurethane resin systems with the linear densities 600tex, 1200tex, and 2400tex with filament diameters 17μm:

E8DR17-600-338 E8DR17-1200-338 E8DR17-2400-338

Limitations for the product

The E8 glass formulation is not an E-glass formulation as per ASTM D 578 definition. Additional testing might be required depending on the intended field of application.

The approval is limited for application of the product in blades of wind turbines.

Any significant changes in design and/or quality of the material will render the approval invalid.

Type Approval documentation

Technical data sheet(s) E8-338, issued by China Jushi Co., Ltd.

Safety data sheet(s) Q/JS J0520-2019, Version 6, SAFE USE INSTRUCTIONS OF ROVING, Jushi

Group Co., Ltd., dated 2019-08-15

Test report(s) BG210326101, Test report, Glass Fiber Roving (E8DR17-600-338), Jushi Group

Co., Ltd. Testing Center, dated 2021-03-26

BG210511104, Test report, Glass Fiber Roving (E8DR17-600-338), Jushi Group

Co., Ltd. Testing Center, dated 2021-05-11

BG210326102, Test report, Glass Fiber Roving (E8DR17-1200-338), Jushi

Group Co., Ltd. Testing Center, dated 2021-03-26

BG210511105, Test report, Glass Fiber Roving (E8DR17-1200-338), Jushi

Group Co., Ltd. Testing Center, dated 2021-05-11

BG210326103, Test report, Glass Fiber Roving (E8DR17-2400-338), Jushi

Group Co., Ltd. Testing Center, dated 2021-03-26

BG210511106, Test report, Glass Fiber Roving (E8DR17-2400-338), Jushi

Group Co., Ltd. Testing Center, dated 2021-05-11

Annex 3.xlsx (specimen preparation)

Inspection documentation WIR-10596-A176-001, Rev.0, Workshop Inspection Report, issued by DNV,

dated 2024-12-05

Quality control documentation 20319142/2, Certificate ISO 9001:2015, issued by DEKRA Certification GmbH,

dated 2025-02-24



TYPE APPROVAL - ANNEX 1

Certificate No.:

TA-DNV-CP-0082-10604-0 Page 3 of 3

Material properties

(All the values are mean values from type testing)

Properties	Test method	E8DR17-600-338	E8DR17-1200-338	E8DR17-2400-338	Unit
Linear density	ISO 1889	586	1194	2348	tex
Filament diameter	ISO 1888	16.5	16.1	17.0	μm
Loss of ignition	ISO 1887	0.57	0.58	0.46	%
Moisture content	ISO 3344	0.06	0.06	0.04	%
Tensile strength	ISO 3341	0.54	0.60	0.50	N/tex

Approved production sites

Jushi Group Co., Ltd. 669 Wenhua Road (S.) Tongxiang Economic Development Zone Zhejiang 314500 P.R. China

Last workshop inspection date: 2024-11-05

Certificate maintenance

A periodical assessment needs to be carried out 2.5 years after the issue date of the Type Approval. In the case of major changes of the approved production processes and methods during the validity time of the Type Approval, the changes shall be reported to DNV. An intermediate inspection of the production workshop(s) might be needed based on the implemented changes. A workshop holding a valid Shop Approval for manufacturing of composite materials is exempted from the periodical assessment.